



MATERIAL AND FINISH DATA

CODE	MATERIAL	SPEC.	PASSIVATE
CR	302, 303, OR 304 CRES	AMS 5636, 5637, 5638, 5639, 5640, 5641, 5647	AMS 2700

MAXIMUM LENGTH L: 3.000 INCHES

EXAMPLE PART NUMBER

CN305 CR 8-1825 R

OPTIONAL RIBS  
 GRIP LENGTH L IN THOUSANDTHS OF AN INCH - 1.825  
 THREAD SIZE - .5000-13 UNC-2B  
 MATERIAL - 300 SERIES CRES  
 BASIC PART NUMBER

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES AND TOLERANCES ARE AS SHOWN BELOW. DIMENSIONAL TOLERANCES AND SYMBOLS PER ANSI Y14.5M-1982.

PROPRIETARY PARTS SHOWN IN THIS DRAWING ARE THE SUBJECT OF ISSUED UNITED STATES AND FOREIGN PATENTS AND PATENTS PENDING. UNAUTHORIZED REPRODUCTION AND/OR DISTRIBUTION OF THIS DRAWING IS SPECIFICALLY PROHIBITED.



CARSON CITY  
 NEVADA 89706

APPROVALS		DATE	TITLE				
ANGLES	±1°	DRAWN <i>DAC</i>	14AUG07	BUSHING, THREADED, ADHESIVE BONDED			
.XX	±.03	CHECKED <i>DAC/mtm</i>	14AUG07	SIZE	CAGE CODE	DWG. NO.	REV.
.XXX	±.010	RELEASED <i>CGH</i>	14AUG07	A	66530	CN305	6
.XXXX	±.001	REVISED <i>DAC</i>	14AUG07	SCALE	1/1	14AUG07	SHEET 1 OF 1